





BOOK OF PROCEEDINGS



AgroSym 2018

IX International Scientific Agriculture Symposium
"Agrosym 2018"
Jahorina, October 04-07, 2018

BOOK OF PROCEEDINGS

**IX International Scientific Agriculture Symposium
“AGROSYM 2018”**



Jahorina, October 04 - 07, 2018

Impressum

IX International Scientific Agriculture Symposium „AGROSYM 2018“

Book of Proceedings Published by

University of East Sarajevo, Faculty of Agriculture, Republic of Srpska, Bosnia
University of Belgrade, Faculty of Agriculture, Serbia
Mediterranean Agronomic Institute of Bari (CIHEAM - IAMB) Italy
International Society of Environment and Rural Development, Japan
Balkan Environmental Association (B.EN.A), Greece
Centre for Development Research, University of Natural Resources and Life Sciences (BOKU), Austria
Perm State Agro-Technological University, Russia
Voronezh State Agricultural University named after Peter The Great, Russia
Aleksandras Stulginskis University, Kaunas, Lithuania
Selçuk University, Turkey
University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania
University of Valencia, Spain
Faculty of Agriculture, Cairo University, Egypt
Tarbiat Modares University, Iran
Chapingo Autonomous University, Mexico
Department of Agricultural, Food and Environmental Sciences, University of Perugia, Italy
Higher Institute of Agronomy, Chott Mariem-Sousse, Tunisia
Watershed Management Society of Iran
Institute of Animal Science- Kostinbrod, Bulgaria
Faculty of Economics Brcko, University of East Sarajevo, Bosnia and Herzegovina
Biotechnical Faculty, University of Montenegro, Montenegro
Institute of Field and Vegetable Crops, Serbia
Institute of Lowland Forestry and Environment, Serbia
Institute for Science Application in Agriculture, Serbia
Agricultural Institute of Republic of Srpska - Banja Luka, Bosnia and Herzegovina
Maize Research Institute "Zemun Polje", Serbia
Faculty of Agriculture, University of Novi Sad, Serbia
Institute for Animal Science, Ss. Cyril and Methodius University in Skopje, Macedonia
Academy of Engineering Sciences of Serbia, Serbia
Balkan Scientific Association of Agricultural Economics, Serbia
Institute of Agricultural Economics, Serbia

Editor in Chief

Dusan Kovacevic

Technical editors

Sinisa Berjan

Milan Jugovic

Nouredin Driouech

Rosanna Quagliariello

Website:

<http://agrosym.ues.rs.ba>

CIP - Каталогизacija у публикацији
Народна и универзитетска библиотека
Републике Српске, Бања Лука

631(082)

INTERNATIONAL Scientific Agricultural Symposium "Agrosym
2018" (9 ; Jahorina)

Book of Proceedings [Elektronski izvor] / IX International
Scientific Agriculture Symposium "Agrosym 2018", Jahorina,
October 04 - 07, 2018 ; [editor in chief Dušan Kovačević]. - East
Sarajevo =Istočno Sarajevo : Faculty of Agriculture =Poljoprivredni
fakultet, 2018

Način pristupa (URL):

<http://agrosym.ues.rs.ba/index.php/en/archive>. - Bibliografija uz
radove. - Registar.

ISBN 978-99976-718-8-2

COBISS.RS-ID 7815448

HONORARY COMMITTEE

STEVO MIRJANIC, Minister of Agriculture, Water Management and Forestry of Republic of Srpska, Bosnia, ALEN SERANIC, Minister of Science and Technology of Republic of Srpska, Bosnia, DANE MALESEVIC, Minister of Education and Culture of Republic of Srpska, Bosnia, STEVO PASALIC, Rector of the University of East Sarajevo, Bosnia, MILICA PETROVIC, Dean of the Faculty of Agriculture, University of Belgrade, Serbia, MAURIZIO RAELI, Director of the Mediterranean Agronomic Institute of Bari, Italy, MARIO T. TABUCANON, President of the International Society of Environment and Rural Development, Japan, FOKIAON K. VOSNIAKOS, President of the Balkan Environmental Association (B.EN.A), Greece, MUSTAFA ŠAHIN, Rector of the Selcuk University, Turkey, ALEKSEY ANDREEV, Rector of the Perm State Agro-Technological University, Russia, NIKOLAY I. BUKHTOYAROV, Rector of the Voronezh State Agricultural University named after Peter The Great, Russia, ANTANAS MAZILIAUSKAS, Rector of the Aleksandras Stulginskis University, Lithuania, BARBARA HINTERSTOISSER, Vice-Rector of the University of Natural Resources and Life Sciences (BOKU), Austria, JOSÉ SERGIO BARRALES DOMÍNGUEZ, Rector of the Chapingo Autonomous University, Mexico., HANY EL-SHEMY, Dean of the Faculty of Agriculture, Cairo University, Egypt, SORIN MIHAI CIMPEANU, Rector of the University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania, FRANCESCO TEI, Director of the Department of Agricultural, Food and Environmental Sciences, University of Perugia, Italy, MOHSEN BOUBAKER, Director of the High Institute of Agronomy of Chott Meriem, Sousse, Tunisia, SEYED HAMIDREZA SADEGHI, Professor at Tarbiat Modares University and the President of the Watershed Management Society of Iran, Iran, IVAN YANCHEV, Director of the Institute of Animal Science- Kostinbrod, Bulgaria, SRDJAN LALIC, Dean of the Faculty of Economics Brcko, Universtiy of East Sarajevo, Bosnia and Herzegovina, MIOMIR JOVANOVIĆ, Dean of the Biotechnical Faculty, University of Podgorica, Montenegro, SNEZANA JANKOVIC, Director of the Institute for Science Application in Agriculture, Serbia, SASA ORLOVIC, Director of the Institute of Lowland Forestry and Environment, Serbia, BRANKO KOVACEVIC, President of the Academy of Engineering Sciences of Serbia, Serbia, VOJISLAV TRKULJA, Director of Agricultural Institute of Republic of Srpska - Banja Luka, Bosnia and Herzegovina, BRANKA KRESOVIC, Director of the Maize Research Institute "Zemun Polje", Serbia, SVETLANA BALESEVIC-TUBIC, Director of the Institute of Field and Vegetable Crops, Serbia, NEDELJKO TICA, Dean of the Faculty of Agriculture, University of Novi Sad, Serbia, RODNE NASTOVA, Director of the Institute for Animal Science, Skoplje, Macedonia, RADOVAN PEJANOVIĆ, President of Balkan Scientific Association of Agricultural Economics, Serbia, JONEL SUBIC, Director of the Institute of Agricultural Economics, Serbia

SCIENTIFIC COMMITTEE

DUSAN KOVACEVIC, Faculty of Agriculture, University of Belgrade, Serbia, WILLIAM MEYERS, Howard Cowden Professor of Agricultural and Applied Economics, University of Missouri, USA, JOHN BRAYDEN, Norwegian Agricultural Economics Research Institute (NILF), Norway, STEVE QUARIE, Visiting Professor, School of Biology, Newcastle University, United Kingdom, ANDREAS MELCHER, CDR, University of Natural Resources and Life Sciences (BOKU), Vienna, Austria, DANI SHTIENBERG, full professor, Department of Plant pathology and Weed Research, ARO, the Volcani Center, Bet Dagan, Israel, THOMAS G. JOHNSON, University of Missouri – Columbia, USA, DIETER TRAUTZ, University of Applied Science, Germany, MACHITO MIHARA, Tokyo University of Agriculture, Japan, MARKUS SCHERMER, Department of Sociology, University of Innsbruck, Austria., JORGE BATLLE-SALES, Department of Biology, University of Valencia, Spain, SERGEI ELISEEV, Vice-Rector for Research and Innovations, Perm State Agro-Technological University, Russia, RICHARD BARICHELLO, Faculty of Land and Food Systems, University of British Columbia, Canada, NOVO PRZULJ, Faculty of Agriculture, University of Banjaluka, Bosnia and Herzegovina, TATIANA SIVKOVA, Faculty for Veterinarian Medicine and Zootechny, Perm State Agro-Technological University, Russia, ADRIANO CIANI, Department of Agricultural, Foods and Environmental Sciences, Perugia University, Italy, ALEKSEJ LUKIN, Voronezh State Agricultural University named after Peter The Great, Russia, MATTEO VITTUARI, Faculty of Agriculture, University of Bologna, Italy, SEYED MOHSEN HOSSEINI, Faculty of Natural Resources, Tarbiat Modares University, Iran, ARDIAN MACI, Faculty of Agriculture and Environment, Agricultural University of Tirana, Albania, REGUCIVILLA A. POBAR, Bohol Island State University, Philippines, SUDHEER KUNDUKULANGARA PULISSERY, Kerala Agricultural University, India, EPN UDAYAKUMARA, Faculty of Applied Sciences, Sabaragamuwa University, Sri Lanka, VLADIMIR SMUTNÝ, full professor, Mendel University, Faculty of agronomy, Czech Republic, FRANC BAVEC, full professor, Faculty of Agriculture and Life Sciences, Maribor, Slovenia, JAN MOUDRÝ, full professor, Faculty of Agriculture, South Bohemia University, Czech Republic, STEFAN TYR, full professor, Faculty of Agro-biology and Food Resources, Slovakia, NATALIJA BOGDANOV, Faculty of Agriculture, University of Belgrade, Serbia, SABAHUDIN BAJRAMOVIC, Faculty of Agriculture and Food Sciences, University of Sarajevo, Bosnia, FRANCESCO PORCELLI, University of Bari Aldo Moro, Italy, VASILIJE ISAJEV, Faculty of Forestry, University of Belgrade, Serbia, ELAZAR FALLIK, Agricultural Research Organization (ARO), Volcani, Israel, JUNAID ALAM MEMON, Pakistan Institute of Development Economics, Pakistan, HIROMU OKAZAWA, Faculty of Regional Environment Science, Tokyo University of Agriculture, Japan, PANDI ZDRULI, Land and Water Resources Department; IAMB, Italy, MLADEN TODOROVIC, Land

and Life Sciences (BOKU), Vienna, Austria, LORENZ PROBST, CDR, University of Natural Resources and Life Sciences (BOKU), Vienna, Austria, MOHSEN BOUBAKER, High Institute of Agronomy of Chott Meriem, Sousse, Tunisia, NOUREDDIN DRIOUECH, Coordinator of MAIB Alumni Network (FTN), Mediterranean Agronomic Institute of Bari, Italy, ION VIOREL, University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania, CHULEEMAS BOONTHAI IWAI, Faculty of Agriculture, Khon Kaen University, Thailand, WATHUGE T.P.S.K. SENARATH, Department of Botany, University of Sri Jayewardenepura, Colombo, Sri Lanka, HAMADA ABDELRAHMAN, Soil Science Dept., Faculty of Agriculture, Cairo University, Egypt, MAYA IGNATOVA, Agricultural Academy – Sofia, Bulgaria, IOANNIS N. XYNIAS, School of Agricultural Technology & Food Technology and Nutrition, Western Macedonia University of Applied Sciences, Greece, LALITA SIRIWATTANANON, Faculty of Agricultural Technology, Rajamangala University of Technology Thanyaburi (RMUTT), Thailand, MOHAMMAD FAROOQUE HASSAN, Shaheed Benazir Bhutto University of Veterinary & Animal Sciences Sakrand, Sindh, Pakistan, IVAN SIMUNIC, Department of amelioration, Faculty of agriculture, University of Zagreb, Croatia, ABID HUSSAIN, International Centre for Integrated Mountain Development (ICIMOD), Nepal, AMRITA GHATAK, Gujarat Institute of Development Research (GIDR), India, NASER SABAGHNA, University of Maragheh, Iran, MONICA PAULA MARIN, Department for Animal Husbandry, University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania, PENKA MONEVA, Institute of Animal Science - Kostinbrod, Bulgaria, MOSTAFA K. NASSAR, Animal husbandry Dept., Faculty of Agriculture, Cairo University, Egypt, MÁRTA BIRKÁS, full professor, St. Istvan University, Godollo – Hungary, ANDRZEJ KOWALSKI, Director of the Institute for Agricultural and Food Economy, Warszawa-Poland, YALCIN KAYA, The Director of the Plant Breeding Research Center, University of Trakya, Turkey, SANJA RADONJIC, Biotechnical Faculty, University of Montenegro, Montenegro, IONELA DOBRIN, Department for Plant Protection, University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania, INOCENCIO BUOT JR., Institute of Biological Sciences, College of Arts and Sciences, University of the Philippines Los Banos, Philippines, KAROL WAJSZCZUK, Poznan University of Life Sciences, Poland, REDOUANE CHOUKR-ALLAH, International Center for Biosaline Agriculture (ICBA), United Arab Emirates, MOHAMMAD AL-MAMUN, Department of Animal Nutrition, Bangladesh Agricultural University, Bangladesh, ANUCHA WITTAYAKORN-PURIPUNPINYO, School of Agriculture and Co-operatives, Sukhothai Thammathirat Open University, Nonthaburi, Thailand, NEDELJKA NIKOLOVA, Institute for Animal Science, Ss. Cyril and Methodius University in Skopje, Republic of Macedonia, IGNACIO J. DÍAZ-MAROTO, High School Polytechnic, University of Santiago de Compostela, Spain, NIDAL SHABAN, University of Forestry Sofia, Bulgaria, YOUSSEF SASSINE, Lebanese University Beirut, Lebanon, MOHAMMADREZA ALIZADEH, Rice Research Institute of Iran, Agricultural Research, Education and Extension Organization (AREEO), Rasht, Iran, CAFER TOPALOGLU, Faculty of Tourism, Mugla Sitki Kocman University, Turkey, SEYED HAMIDREZA SADEGHI, Faculty of Natural Resources, Tarbiat Modares University, Iran, NOUREDDINE DJEBLI, Department of Biology, Faculty of Natural Sciences and Life, Mostaganem University, Algeria, MOHSEN MOHSENI SARA VI, University of Teheran and Member of WMSI Management Board, Iran, MAHMOOD ARABKHEDRI, Soil Conservation and Watershed Management Research Institute and Member of WMSI Management Board, Iran, ATAOLLAH KAVIAN, Sari Agricultural Science and Natural Resources University and Member of WMSI Management Board, Iran, TUGAY AYASAN, East Mediterranean Agricultural Research Institute, Adana, Turkey, SAKINE ÖZPINAR, Department of Farm Machinery and Technologies Engineering, Faculty of Agriculture, Çanakkale Onsekiz Mart University, Çanakkale, Turkey, SHEREIN SAEIDE ABDELGAYED, Faculty of Veterinary Medicine, Cairo University, Cairo, Egypt, KRISHNA PRATAP SINGH, College of Agriculture, G. B. Pant University of Agriculture & Technology, India, SRDJAN LALIC, Faculty of Economics Brcko, University of East Sarajevo, Bosnia and Herzegovina, ZELJKO VASKO, Faculty of Agriculture, University of Banja Luka, Bosnia and Herzegovina, KUBILAY BAŞTAŞ, Department of Plant Protection, Faculty of Agriculture, Selçuk University, Turkey, EMNA ABDELLATIF EP. MEDDEB, National Agricultural Institute, Tunisia, BRANKA KRESOVIC, Director of the Maize Research Institute “Zemun Polje”, Serbia, KOSANA KONSTATINOV, Academy of Engineering Sciences of Serbia, Serbia, SNEZANA MLADENOVIC-DRINIC, Maize Research Institute “Zemun Polje”, Serbia, NEBOJSA MOMIROVIC, Faculty of Agriculture, University of Belgrade, Serbia, VELIBOR SPALEVIC, Faculty of Philosophy, Geography, University of Montenegro, ZORAN JOVOVIC, Biotechnical Faculty, University of Montenegro, Montenegro, VLADIMIR VUKADINOVIĆ, full professor, Faculty of Agriculture, University of Osijek, Croatia, DANIJEL JUG, associate professor, Faculty of Agriculture, University of Osijek, Croatia, VLADO KOVACEVIC, full professor, Faculty of Agriculture, University of Osijek, Croatia, MILAN MARKOVIC, Biotechnical Faculty, University of Montenegro, Montenegro, ZELJKO DOLIJANOVIC, Faculty of Agriculture, University of Belgrade, Serbia, DEJAN STOJANOVIC, Institute of Lowland Forestry and Environment, Serbia, DOBRIVOJ POŠTIĆ, Institute for plant protection and environment, Belgrade, Serbia, SRDJAN STOJNIC, Institute of Lowland Forestry and Environment, Serbia

ORGANIZING COMMITTEE

VESNA MILIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, DEJAN BOKONJIC, Vice rector of the University of East Sarajevo, Bosnia, DEJANA STANIC, Dean of the Faculty of Agriculture, University of East Sarajevo, Bosnia, ROBERTO CAPONE, Mediterranean Agronomic Institute of Bari, Italy, ROSANNA QUAGLIARIELLO, Mediterranean Agronomic Institute of Bari, Italy, NOUREDDIN DRIOUECH, Coordinator of MAIB Alumni Network (FTN), Mediterranean Agronomic Institute of Bari, Italy, ALEKSANDRA DESPOTOVIC, Biotechnical Faculty Podgorica, University of Montenegro, Montenegro, MILIC CUROVIC, The journal "Agriculture and Forestry", Biotechnical Faculty Podgorica, University of Montenegro, Montenegro, ANA MARJANOVIĆ JEROMELA, Institute of Field and Vegetable Crops, Serbia, OKSANA FOTINA, International Relations Center, Perm State Agro-Technological University, Russia, TATIANA LYSAK, International Relations Office, Voronezh State Agricultural University named after Peter The Great, Russia, ANASTASIJA NOVIKOVA, Aleksandras Stulginskis University, Lithuania, TEODORA POPOVA, Institute of Animal Science - Kostinbrod, Bulgaria, MEHMET MUSA OZCAN, Faculty of Agriculture, Selçuk University, Turkey, SRDJAN LALIC, Faculty of Economics Brcko, University of East Sarajevo, Bosnia and Herzegovina, NIKOLA PACINOVSKI, Institute for Animal Science, Ss. Cyril and Methodius University in Skopje, Republic of Macedonia, ABDULVAHED KHALEDI DARVISHAN, Faculty of Natural Resources, Tarbiat Modares University, Iran, HAMADA ABDELRAHMAN, Soil Science Dept., Faculty of Agriculture, Cairo University, Egypt, ECATERINA STEFAN, University of Agronomic Sciences and Veterinary Medicine of Bucharest, Romania, JEERANUCH SAKKHAMDUANG, The International Society of Environmental and Rural Development, Japan, RAOUDHA KHANFIR BEN JENANA, High Institute of Agronomy of Chott Meriem, Sousse, Tunisia, ERASMO VELÁZQUEZ CIGARROA, Department of Rural Sociology, Chapingo Autonomous University, Mexico, VEDRAN TOMIC, Institute for Science Application in Agriculture, Serbia, MILAN STEVANOVIC, Maize Research Institute "Zemun Polje", Serbia, ANDREJ PILIPOVIC, Institute of Lowland Forestry and Environment, Serbia, NIKOLA PUVACA, Faculty of Economics and Engineering Management University of Business Academy, Serbia, MORTEZA BEHZADFAR, Tarbiat Modares University, Tehran, Iran, BRANISLAVKA JANJIC, Agricultural Institute of Republic of Srpska - Banja Luka, Bosnia, BILJANA GRUJIC, Institute of Agriculture Economics, Serbia, MARKO GUTALJ, Faculty of Agriculture, University of East Sarajevo, Bosnia, MILAN JUGOVIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, IGOR DJURDJIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, MILENA STANKOVIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, STEFAN STJEPANOVIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, STEFAN BOJIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, TANJA JAKISIC, Faculty of Agriculture, University of East Sarajevo, Bosnia, TIJANA BANJANIN, Faculty of Agriculture, University of East Sarajevo, Bosnia, SINISA BERJAN, Faculty of Agriculture, University of East Sarajevo, Bosnia, General secretary

LEVEL OF NATURAL RADIONUCLIDES IN ANIMAL FEED BY GAMMA –RAY SPECTROMETRY

Aleksandra ANGJELESKA^{1*}, Dimitar NAKOV², Metodija TRAJCHEV², Srecko GJORGJIEVSKI², Radmila CRCEVA-NIKOLOVSKA¹, Elizabeta DIMITRIESKA-STOJKOVIK¹

¹Faculty of Veterinary Medicine, University "St. Cyril and Methodius", Skopje, Republic of Macedonia

²Faculty of Agricultural Sciences and Food, Institute of Animal Biotechnology, University "St. Cyril and Methodius", Skopje, Republic of Macedonia

*Corresponding author e-mail: mizasandra@yahoo.com

Abstract

The radionuclides' presence in animal feed is due both to natural radioactivity and radioactive pollution from different sources. Controls of radionuclides in animal feed will reduce the risk of radioactive hazards to animal and human health. The study was carried out in order to detect the natural radioactivity in animal feed and feed additive. Gamma spectrometer Canberra Packard with a high-purity germanium detector and Marinelli beakers (1 l capacity) were used for the samples measurement. The most prominent gamma energies observed in the spectra belonged to the naturally occurring radionuclides ⁴⁰K, ²²⁶Ra and ²³²Th. Other radionuclides if present occurred infrequently at low activity concentration under the measurable level. The results show that ⁴⁰K had the largest contribution to the specific radioactivity in all the samples. The mean activity concentration of the ⁴⁰K was highest in feed additive mono calcium phosphate (245.03±17.778 Bq/kg) and lowest activity concentration of the ⁴⁰K was measured in concentrate feed for dairy cows (23.20±2.626 Bq/kg). The average activity of the other two detected natural radionuclides in feed samples was lowest and ranged from 0.42 to 5.81 Bq/kg for ²²⁶Ra and from 0.61 to 2.55 Bq/kg for ²³²Th. The data analysis using ANOVA showed statistical significant differences in the radioactivity concentration of ⁴⁰K, ²²⁶Ra and ²³²Th between feed samples (p<0.001).

Key words: *gamma spectrometry, feeds, natural radioactivity.*

Introduction

The radioactive contamination of the animal organisms and body tissues primarily depends on the level of contamination of the food they consume, and to a lesser extent it depends on drinking water and by means of inhalation. With the use of animal feed, animals in their nutrition accumulate natural radionuclides, and to a lesser extent artificial radionuclides (⁹⁰Sr, ¹³⁷Cs, etc.). The fast industrial development and human activities in agricultural practices and livestock production significantly increase the environmental pollution, thereby leading to an increase of the concentrations of various radioactive substances such as strontium, cesium and uranium. Radionuclides have very quick migration and it is very difficult to prevent their transmission through the food chain (Petrović and Mitrović, 1994).

According Saračević (1999), the animals can be radioactively contaminated in several ways, however most commonly through nutrition or drinking water (80%).

An increasing care is dedicated to the radiation level in animal feed because ingestion through the mouth is one of the most frequent ways how radionuclides enter the living organisms. In order to increase the nutritional value of animal feed, substances containing increased levels of radionuclide activity are added, which will increase the concentration of radionuclide's in the feed. Considering that people use poultry meat and eggs as a part of their nutrition, it is necessary to monitor the levels of radioactive contamination in animal feed because it can

easily be deposited in humans through the path of radionuclides in the food chain (Hernandez et al., 2004).

Numerous researches have been performed which enable monitoring of the radioactive contamination of animal feed in order to reduce the risks that can take these quantities to humans (Carvalho et al., 2006; Casacuberta et al., 2009; Shanthi et al., 2009; Tchokossa et al., 2013).

However, in Macedonia there is a lack of data on the concentration of natural radionuclides in animal feed, namely the purpose of this paper was to assess the amount of natural radionuclides in samples of animal feed produced in Macedonia and to compare the values with already measured values of animal feed that was produced in other parts of the world. Bearing in mind that radioactive contamination in animal body tissues primarily originates from the level of contamination of the used animal feed, as well as the feeding water, a preventive measure would be to control the radioactivity of the animal feed being used, that is, if possible, it should be with a lower concentration of radioactive isotopes, which would not harm the animal organism.

Preventive measures for the reduction of the radioactive contamination of animals are also the method of land treatment which is applied for growing crops for animal feed or grazing, changes in the regime of animal management, giving binding agents or analogous products to animals and delayed slaughter of animals (Beresford and Howard, 2011).

Materials and methods

Sampling

The animal feed samples were collected on the basis of production and consumption in Macedonia. The samples were taken from several producers, and several samples were directly purchased from the market. The animal feed samples were crushed and then homogenized to a fine powder. All samples were left in hermetically sealed plastic containers with approximately 450g of sample. The containers were stored for 14 days in order to allow radium and thorium to achieve a secular balance with their (daughters) descendants.

Instrument

The samples are measured on an instrument – gamma spectrometer (Canberra Packard) with high-purity germanium detector. The measurement was performed in containers which were hermetically sealed so that ^{222}Rn produced from decay of ^{226}Ra will not result in gas leak. After the provision of time balance between the successors of ^{238}U and ^{232}Th series (21 days), these sealed samples were prepared for an analysis. The obtained spectra from the measurement were analyzed by using the program GENIE 2000. The specific activity of ^{226}Ra is calculated for energy line on 186,1 (keV) and ^{232}Th through its descendant of decay ^{228}As (second in the decayed sequence), that is, through its three gamma decay energy lines which occur on 338,4; 911,07 and 968,9 (keV).

The activities of ^{40}K were determined from its γ -line from 1460 keV. The interval of the time for calculation (counting) was 108000 seconds. The natural spectrum was recorded immediately after or before the calculation of the sample.

Activity calculation

The specific activity A (Bq/kg) is determined in accordance with the following formula by Garcia-Talavera (2003):

$$A = \frac{N - N_0}{\varepsilon \cdot \gamma \cdot m \cdot t}$$

Where, N is clean surface of peak accumulated from a specific radionuclide in analysis of a specific sample (number of readings), N₀ is clean surface of peak accumulated from the spot of a specific radionuclide without an analysis of sample (number of readings), t is live time of accumulation of the sample spectrum (s), t₀ is live time of accumulation of the phone spectrum (s), ε is detector efficiency for a given energy (for a specific peak), γ is intensity of gamma transition in radioactive decay for a respective radionuclide (%), and m is mass of the sample (kg).

Results and discussion

The activity concentrations of ⁴⁰K, ²²⁶Ra and ²³²Th were assessed and they are presented in Table 1 and in Figure 1.

Table 1. Activity concentration of natural radionuclides in feed samples (Bq/kg)

Samples	n	⁴⁰ K ($\bar{x} \pm S_{\bar{x}}$)	²²⁶ Ra ($\bar{x} \pm S_{\bar{x}}$)	²³² Th ($\bar{x} \pm S_{\bar{x}}$)
Concentrate feed for pigs	5	226.13±11.911	1.81±0.269	0.61±0.086
Concentrate feed for dairy cows	5	23.20±2.626	5.81±0.982	1.99±0.281
Feed additive mono calcium phosphate	5	245.03±17.778	1.46±0.138	2.55±0.217
Maize	5	119.25±13.732	0.42±0.059	0.68±0.144
Total	20	153.40±15.542	2.37±0.411	1.46±0.164




Figure 1. Activity concentration of naturally occurred radionuclides in feed samples

The results show that ⁴⁰K had the largest contribution to the specific radioactivity in all samples. The mean activity concentration of ⁴⁰K was highest in feed additive mono calcium phosphate (245.03±17.778 Bq/kg) and lowest activity concentration of ⁴⁰K was measured in feed concentrate for dairy cows (23.20±2.626 Bq/kg). The average activity of the other two

detected natural radionuclides in feed samples was lowest and ranged from 0.42 to 5.81 Bq/kg for ^{226}Ra and from 0.61 to 2.55 Bq/kg for ^{232}Th .

The main source of calcium and phosphorus in the concentrate for pigs is monophosphate (Ševković et al., 1991). This supplement is obtained by processing phosphorus ore, and it can also contain large amounts of uranium, thus being a potential source of radioactive contamination both for animals and people (Mitrović et al., 2011).

The results show that the measured monophosphate has a significant activity in all analyzed radionuclides. Considering the concentration of the radionuclide in the monophosphate brand, one can conclude that a large percentage of the radioactivity measured in animal feed is a result of food that contains this component. However, one cannot determine the level of radioactivity that is directly attributable to monophosphate, since the manufacturer does not specify the amount of monophosphate in nutrition. The presence of anthropogenic radionuclides was not detected, indicating that there was no contamination due to artificial radionuclides.

Conclusion

The concentrations of activity of natural radionuclides, ^{40}K , ^{226}Ra and ^{232}Th , were assessed in this study, in different samples of animal feed in the Republic of Macedonia. The results are similar with other such research. However, the values of the concentrations of the tested radionuclides are within the limits of the permitted values i.e. the transfer of such levels in animal feed and ultimately, in the human, through the radionuclide pathway, will not pose a threat when people will ultimately consume poultry meat, products and eggs of poultry fed with this feed. At the same time, systems should be established to monitor radionuclides in the main foodstuff in order to reduce human exposure to radiation through the consumption of animal products. Prevention is perhaps the best approach, and much attention needs to be paid to reduce radioactive contamination in animals and further in consumers as well. It should be emphasized that continuous monitoring of the level of natural and artificial radionuclides in animal feed is necessary in order to mitigate the amount of radioactive substances that can reach the human organism through the trophic chain.

References

- Beresford, N.A. and Howard, B.J. (2011). An Overview of the Transfer of Radionuclides to Farm Animals and Potential Countermeasures of Relevance to Fukushima Releases. *Integ Environ Assess Manage.* 7: 382–384.
- Carvalho, C., Anjos, R.M., Mosquera, B., Macário, K., Veiga, R. (2006). Radiocesium contamination behavior and its effect on potassium absorption in tropical or subtropical plants. *Journal of Environmental Radioactivity* 86, 241-250
- Casacuberta, N., Masque, P., Garcia-Orellana, J., Bruach, J.M., Anguita, M., Gasa, J., Villa, M., Hurtado, S., Garcia-Tenorio, R. (2009). Radioactivity contents in dicalcium phosphate and the potential radiological risk to human populations. *Journal of Hazardous Materials* 170, 814-823.
- Garcia-Talavera, M. (2003). Evaluation of the suitability of various γ lines for the γ - spectrometric determination of ^{238}U in environmental samples. *Applied radiation and isotopes* 59(2) 165-173.
- Hernandez, F., Madrid, J., Garcia, V., Orengo, J. and Megias, M.D. (2004). Influence of two plant extract on broilers performance, digestibility and digestive organ size. *Poult .Sci.* 83:169-174.
- Mitrović, B., Vitorović, G., Stojanović, M., Vitorović, D. (2011). Radioactivity of Phosphate Mineral Products," *Vet. Gazette*, vol. 65, no. 1-2, 133 -140.

- Petrović, B., Mitrović, R.(1994): Radijaciona zaštita u biotehnologiji, DP Institut za mlekarstvo, Beograd
- L. Saračević, Veterinary radiobiology with radiation hygiene, Sarajevo, Bosnia and Herzegovina, DES Sarajevo, 1999.
- Shanthi, G., Kumaran, J.T.K., Raj, G.A.G., Maniyan, C.G. (2009). Natural radionuclides in the South Indian foods and their annual dose. Nuclear Instruments and Methods in Physics Research, doi:10.1016/j.nima.2009.10.068.
- N. Ševković, S. Pribičević, I. Rajić, Nutrition of domestic animals, Belgrade, Yugoslavia: Naučna knjiga, 1991.
- Tchokossa P., Olomo J.B., balogun F.A. and Adesanmi C.A. (2013). Assessment of Radioactivity Contents of Food in the Oil and Gas Producing Areas in Delta State, Nigeria" International Journal of Science and Technology Vol 3, No. 4, 245 - 250.