

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/384569206>

Infectious Hematopoietic Necrosis In North Macedonia: Current Status And Future Challenges

Conference Paper · September 2024

CITATIONS

0

READS

6

7 authors, including:



Aleksandar Trajchovski

Saints Cyril and Methodius University of Skopje

18 PUBLICATIONS 2 CITATIONS

[SEE PROFILE](#)



Igor Djadjovski

Saints Cyril and Methodius University of Skopje

66 PUBLICATIONS 246 CITATIONS

[SEE PROFILE](#)



Kiril Krstevski

Saints Cyril and Methodius University of Skopje

61 PUBLICATIONS 324 CITATIONS

[SEE PROFILE](#)



Zagorka Popova Hristovska

Saints Cyril and Methodius University of Skopje

25 PUBLICATIONS 23 CITATIONS

[SEE PROFILE](#)



Ss. CYRIL AND METHODIUS UNIVERSITY IN SKOPJE
FACULTY OF VETERINARY MEDICINE - SKOPJE

BOOK OF ABSTRACTS

**“Days Of Veterinary Medicine”
10th International Scientific Meeting
and
2nd European Conference on
Veterinary and Medical Education 2024**

22-25 September 2024,
Republic of North Macedonia

**Ss. CYRIL AND METHODIUS UNIVERSITY IN SKOPJE
FACULTY OF VETERINARY MEDICINE - SKOPJE**



BOOK OF ABSTRACTS

10th International Scientific Meeting Days of Veterinary Medicine – 2024 and 2nd European Conference on Veterinary and Medical Education

22-25 September 2024, Ohrid

Skopje, 2024

O4**INFECTIOUS HEMATOPOIETIC NECROSIS IN NORTH MACEDONIA: CURRENT STATUS AND FUTURE CHALLENGES**

Aleksandar Trajchovski^{*1}, Igor Djadovski¹, Kiril Krstevski¹, Zagorka Popova Hristovska¹, Martin Nikolovski¹, Angela Grujovska², Aleksandar Cvetkovikj¹

¹Ss. Cyril and Methodius University in Skopje, Faculty of Veterinary Medicine - Skopje, Lazar Pop – Trajkov 5-7, 1000 Skopje, North Macedonia

²Food and Veterinary Agency, Treta Makedonska Brigada 20, 1000 Skopje, North Macedonia

The infectious hematopoietic necrosis (IHN) poses a significant risk to salmonid aquaculture, especially in intensive farming environments. Surveillance programs for viral diseases in aquatic species were initiated in North Macedonia in 2015, leading to the initial detection of IHN in 2018 and its widespread outbreak in 2020. This research investigates the prevalence and genetic traits of IHN virus (IHNV) in farmed rainbow trout (*Oncorhynchus mykiss*) in North Macedonia following the 2020 spread of IHN. In North Macedonia's aquaculture, rainbow trout is the dominant species, with 54 officially registered fish farms which number fluctuates annually. For the 2023 surveillance program, active monitoring was conducted on 22 fish farms, excluding those where IHN was previously detected. Three pooled samples were collected from each farm, comprising a total of 10 fish organs including the kidney, spleen, and heart. Detection of the IHNV was carried out using protocols recommended by the DTU Aqua, European Reference Laboratory for Fish and Crustacean diseases developed by Cuenca A et al. (2020). Out of the 22 sampled fish farms, 5 tested were positive for IHN (22.73%) indicating its spread to new locations. This brings the total number of IHN-positive fish farms in North Macedonia to 34 out of 54 farms (62.96%). Genetic analysis revealed that the recent IHN isolate and the first isolate from 2018 (MAKIHNV1, MN641902) share over 99% similarity, suggesting a common origin. The isolates were categorized in clade E-1 of the European genogroup E. Phylogenetic examination connected them to isolates from Germany, Italy, and Iran. In conclusion, despite existing control programs, the ongoing spread of IHNV highlights the necessity for improved biosecurity measures. This research emphasizes the extensive spread of the virus, its implications on aquaculture, and the risk to autochthonous salmonid species. Continuous monitoring, strict biosecurity measures, and focused interventions are essential to control and reduce the transmission of IHNV among aquaculture facilities which will prevent outbreaks and maintain the long-term productivity of aquaculture sectors.

Keywords: infectious hematopoietic necrosis virus, rainbow trout, cold-water aquaculture, phylogeny