

Gene Co-expression Analysis for Lung Cancer Biomarkers Detection

Stefani Kostadinovska¹, Slobodan Kalajdziski¹ and Monika Simjanoska¹

¹Faculty of Computer Science and Engineering, Ss. Cyril and Methodius University, Rugjer Boshkovikj 16, 1000 Skopje, North Macedonia
kostadinovska.stefani@students.finki.ukim.mk, {slobodan.kalajdziski, monika.simjanoska}@finki.ukim.mk

Keywords: Gene expression, Co-expression gene-based network, Gene regulatory networks, Gene Ontology, Hub genes, Biomarkers

Abstract: Cancer is one of the most widespread diseases that we come across. The complexity of this disease makes it difficult to analyze and detect biomarkers with the purpose to ease the targeted treatments. This study presents a methodology based on gene expression data that provides promising results in terms of revealing potential biomarkers associated with lung cancer. To accomplish this, gene networks are built presenting the correlation among the genes. These networks are further analyzed and thus specific modules are created. Hereupon special representative genes for each of the modules are detected that lead to the identification of potential biomarkers for lung cancer. The reliability of the revealed biomarkers has been proved in the literature.

1 INTRODUCTION

Each cell has the potential to undergo malignant changes and lead to the development of *cancer*. Cancer cells do not always undergo local diffusion through the infiltration of the tissue they made up, but can sometimes spread throughout the body through the lymphatic system, the bloodstream where they create metastases. This can happen when the mechanism of a “normal” cell is disrupted, or simply does not perform the functions it is intended for. All cells replicate and this process usually occurs 50-60 times before the cell dies. Accordingly, malignant cells also replicate as they grow in atypical forms and infiltrate into the tissue that comprises (Weinberg, 2013; Panov, 2014).

In addition to cardiovascular disease, which is the first most common cause of death in the world, the second leading cause of death are malignancies (WHO, 2018b). As a synonym for these malignant diseases, the term *cancer* is commonly used, which actually encompasses a class of hundreds of heterogeneous diseases that, if not treated appropriately and effectively, lead to the death of the organism. According to the World Health Organization (WHO), the number of people who died of lung cancer in 2018 was 2.09 million (WHO, 2018a).

Considering the importance of impact these diseases make, in order to find a solution and proper treatment, a lot of organisations are publishing data for different cancer types for every researcher, so every-

one can work from a different perspective. One of the largest database for this kind of data is *Data portal* provided by The International Cancer Genome Consortium (ICGC) which contains data from 24 cancer projects, including ICGC, The Cancer Genome Atlas (TCGA), Johns Hopkins University and the Tumor Sequencing Project (Zhang et al., 2011). Also, very popular database for cancer related data is *The Cancer Genome Atlas (TCGA)* where over the previous years, it generated over 2.5 petabytes of genomic, epigenomic, transcriptomic and proteomic data which can be used for various studies (TCG, 2019).

Detecting and identifying the genes that are responsible for malignant diseases are crucial because they can help in finding, or creating new targeted drug treatments with the purpose to help predict patients’ survival and to provide insights into the molecular mechanisms of tumour progression (Sotiriou et al., 2006; Bullinger et al., 2004; Adler and Chang, 2006). Thus, the main challenge is to reveal these genes by creating a specific methodology that can be interpreted in terms of biology, and which because of the problem size usually includes various techniques from biotechnology and computer science.

In this paper, we propose a methodology for biomarkers detection from lung cancer data. The methodology relies on gene networks analysis, by which hidden correlations among the genes are revealed. The paper is organized as follows. In Section 2 we present previous studies focused on using network methods to analyze functional modules of

genes. The materials for the experiments as well as the data used in this research are described in Section 3. Details of the methodology and the outcomes are presented in Section 4. In the final Section 5 we present the conclusions from the research and provide directions for future work.

2 RELATED WORK

Gene expression profiles are mostly used for analyzing genes and their properties in terms of the whole genome. Cluster visualization is an intuitive view for displaying the genes that have similar functions. The basic idea is to determine how genes interact between each other and to obtain new properties that can describe the biological processes that they engage in. Logical step would be to identify the significantly differential expression in two individual samples. However, such approach would provide limited knowledge based on the samples that are used, so the best approach would be to adopt mathematical support where the patterns of gene expression could be used (Eisen et al., 1998).

Previous studies show that there is plenty of evidence where genes and their protein products are organized into functional modules according to cellular processes and pathways (Segal et al., 2003; Canchi et al., 2019). One approach to analyse these modules and interactions is by using network methods where co-expression modules can be studied with respect to gene expression profiles. The aim is to find the eigengene of each of the modules that represents the module, and build a network of all eigengenes to find the relationships between consensus modules in different organisms (Langfelder and Horvath, 2007).

Most of the studies are focused on analyzing the modules based on some clinical utilities without studying the emergent properties and behaviours of these genes at the system level. This approach differs from the one described in this paper, but it allows us to see that not only the hub genes are the ones responsible and considered as biomarkers for some type of cancer (Yang et al., 2014). Another approach is to simultaneously use different types of techniques for obtaining the data from cancerous cells, e.g., SNP array, array-CGH, CGH, GWAS, where all the data is combined to build such a network and analysed by using network methods. With this approach the basic idea is to build "genome-scale co-expression network" where new perspective of mutated genes would be shown and where new significant genes are to be found (Bidkhorri et al., 2013).

3 MATERIALS

The data for this research are taken from *GEO* (*Gene Expression Omnibus*) within *NCBI* (*National Center for Biotechnology Information*) (Edgar et al., 2002). The data on this platform is mainly from the field of genomics and is mostly data collected from DNA microchips and genome sequences. DNA microchips are one of the most important tools for studying thousands of genes and genome-level gene features. They are used to investigate the different manifestations of genomics information in relation to cell processes and biochemical products that directly reflect the behavior of one organism or specific cell type, and also show how it interacts with the others (Rueda, 2018).

The data used for the purpose of this research can be found by using the ID number **GSE116959**. The dataset involves the expression of genes at some point in some tissue obtained through RNA sequences. The number of people who participated in the experiment is 57, and the time frame in which the data have been processed is from 2004 to 2010. Everyone who participated in this experiment has been diagnosed with *lung adenocarcinoma*. The number of cancer tissues analyzed is 57, while the number of tissues classified as healthy is 11. The healthy tissues are taken from the same patients. The platform on which the gene analysis has been performed is *Agilent-039494 SurePrint G3 Human GE v2 8x60K Microarray 039381*. The total number of probes on the chip is 50 599. Multiple probes might represent a single gene.

4 METHODOLOGY AND RESULTS

In this study, we propose a methodology for analyzing DNA microchip data, and by using network analysis we discover the potential biomarkers for lung cancer. Figure 1 depicts the stages of the proposed methodology for analysis of lung cancer microarray data and prediction of possible lung cancer biomarkers.

As can be seen from the Figure 1, first step is the network generation from the data obtained from gene expression profiles. Next, by performing network analysis, modules are built according to certain rules, upon which gene regulatory networks are built and gene ontology is applied to determine which biological processes these genes appear in, and finally by using the association-by-guilt approach it is possible to determine whether a gene is a potential biomarker for lung cancer or not. The methodology presented is inspired by (van Dam et al., 2017).




Figure 1: Methodology for analysis of lung cancer data and prediction of possible biomarkers

4.1 Building a Gene Co-expression Network

The necessity to build a gene co-expression correlation-based network is to use the properties of gene dependencies in order to be able to build the modules that are later described in this section (van Dam et al., 2017). The network is created by using the *Weighted gene correlation network analysis (WGCNA)* method (Langfelder and Horvath, 2008). The first step in creating a network is to calculate a matrix of co-expressive similarity between all genes. Absolute correlation is calculated to obtain the corresponding values for the pair of genes. Most often in biological networks there are two types of nodes, those that are highly connected, or hub nodes, and those that are poorly connected. In order to adhere to this rule, an additional coefficient β is obtained by analyzing the data in order to retain the scale-free property (Zhang and Horvath, 2005). In other words, each individual element in the co-expressive similarity matrix is obtained by:

$$a_{ij} = |Corr(x_i, x_j)|^\beta \quad (1)$$

where x_i and x_j are the expression values of i -th and j -th gene.

In our case, the coefficient β is 7, obtained by the use of soft thresholding power which is based on the criterion to follow scale-free topology proposed by (Zhang and Horvath, 2005). Using this matrix, links will be shown describing the similarities, i.e., the expression patterns of genes that can be found for all samples. The successive step is to construct a network according to the obtained co-expressive similarity matrix, where each node represents a gene, and

the links between the genes are in fact the presence of some kind of connection, i.e., dependence on the co-expressive similarity of the genes (Albert et al., 2002). Genes in a cell function as a whole and therefore, are grouped into biological functional units. Consequently the next and the last step of this phase is the generation of modules, or clusters of co-expressed genes obtained by the most commonly used technique for clustering - hierarchical clustering (Yip and Horvath, 2007; Yin et al., 2018).

Due to the large number of microchip probes as well as the resource constraint, the way the network has been built is based on blocks. These blocks include a number of genes that are analyzed. In our case the maximum number of genes per block is 2000, and thus each block has been analyzed separately. The total number of blocks is 27. These blocks contained groups of linked genes called modules. Each module is represented by its *eigengene*. The first principal component obtained from the PCA method, that is the eigengene representing the central gene in the module, was used to calculate the module's eigengene. Eventually, the modules whose eigengenes were highly correlated were fused. The total number of modules completed is 121.

In order to better analyze these modules, usually the correlation of all genes belonging to a given module is analyzed, however, there is an alternative approach that looks for a correlation between eigengenes and some clinical traits. In this research, due to the volume of modules and resource constraints, we were allowed to analyze the correlation between the modules and the participants' age. Figure 2 shows the dependencies between the modules and the age of the participants. As it can be seen, the age of the participants




Figure 2: Correlation between module genes and clinical year data.

is highly correlated with the modules represented by the colors *deeppink* and *orangered1* with correlations

of 0.35 and 0.32 respectively. Each row represents the eigengene of the module, and the column is the age of the subjects. In each row we have appropriate correlation values and *p* values. The values in the table are colored according to legend.

The module *deeppink* contains a total of 44 genes, and the module *orangered1* contains 52 genes. We will only use these two modules to create gene regulatory networks described in the following section.

4.2 Gene Regulatory Networks

In all living organisms the major types of molecules that are necessary for the performance of basic biological processes are deoxyribonucleic acid (DNA), ribonucleic acid (RNA) and proteins. These molecules are dynamic, in constant interaction with each other and depend on each other for the complex biological functions they perform. These molecules, together with their interactions, build complex networks called *Gene Regulatory Networks (GRN)* (Sanguinetti and Huynh-Thu, 2018).

These networks are important for almost all biological processes including cell division, metabolism, cell cycle. By discovering the dynamics, properties and functions of these networks, it is possible to build specific mechanisms for the prevention of various diseases that occur at the cellular level. In general, there are two different approaches to studying the interactions that occur in the GRN (Iba and Noman, 2016):

- Topological analysis - is based on data obtained from regulatory interactions such as protein-DNA interactions and protein-protein interactions.
- Conclusion on Regulatory Gene Connection - based on data obtained from gene expertise.

These GRN can be modeled using coupled ordinary differential equations, boolean networks, continuous networks, stochastic gene networks. Using one of these approaches and data from biological experiments, we can build a GRN where we can study and analyse gene interactions.

We used the GeneMANIA (Franz et al., 2018) tool to build these networks. The modules specified in section 4.1, were selected individually to find out what are the true functional similarities, by using already published and verified evidence. In both modules we had a number of trials that were not annotated with genes, or had gene symbols that could not be found in the GeneMANIA application database and were manually removed from the list. The table 1 lists the genes included in the modules that can be found in the GeneMANIA database.

GRN is build using prior knowledge for the query genes, where the query genes are seen as a part of a

protein complex or they have a similar protein domain structures using additional databases that contains related information for protein complexes. Although, this tool often finds additional members to that complex in order to give high weight to physical interactions or predicted physical interactions.

Modules		
Deep pink	Orange Red 1	
DCAF8L2	RPL21	RPL29
GUCA2B	RPS3A	DALRD3
DOPEY1	RPL21	BRK1
N4BP2L1	RPS9	EIF3L
PNPLA7	RPSA	ANKRD42
PPEF2	RPSA	MIPEP
PIWIL3	RPL29	SLC12A9
PLN	MIPEP	APEH
LGI1	RPL29	SLC35A2
PNRC2	RPSA	MAGED2
RBMS2	RPL29	RPSA
		VPS35

Table 1: List of the genes found in the modules and found in the GeneMANIA database.

These modules build two networks corresponding to each module and are shown in the Figure 3 and Figure 4, correspondingly. As can be seen, in both figures there are additional genes that are involved manually through the application itself in order to capture physical interactions between the genes. The number of genes that can be added to the network is limited to 20, and all other parameters are left to their default values. In addition to these physical interactions, the network can also be analyzed in terms of co-expression of these genes, genetic interaction, pathways involved and co-localization. For the purpose of this research, only physical interactions have been considered. The genes that belong to the module in each of the Figures 3 and 4 are marked with lines inside the circle.

4.3 Gene Ontology

The probes, i.e., the genes found on the microchips if we look at them individually, they do not have a functional unit role as such, unless we include them in an organism. In order to find out how and in which processes these genes participate, we will first visualize them in terms of the processes in which they participate by using some kind of ontology. Gene ontology (GO) connects to the largest and most important database when it comes to the function of genes (Consortium, 2004).




Figure 3: Physical interaction network between genes in the *deepink* module using the GeneMANIA application.




Figure 4: Physical interaction network between genes in the *orangered1* module using the GeneMANIA application.

The GO knowledge base is a structured database that formally expresses the classes of gene functions as well as the specific relationships that genes have with each other. Logical rules and axioms are often defined to maintain this structure as well as to facilitate the study and analysis of gene relationships. The GO structure is constantly evolving and upgrading in order to build more detailed networks and build on current knowledge of molecular biology for the organisms being studied. In order to better understand the visualization of data through gene ontology, special annotations are used that are well known to all who perform research in these areas (The Gene Ontology Consortium, 2018).

In addition to the physical interactions of the genes in the modules, we also found the biological




Figure 5: GO network of genes that participate in the *orangered1* module, in relation to the biological process in which they participate.

processes in which these genes participate. Figure 5 shows the processes in which genes from *orangered1* module participate. It can be seen that most of the genes participate in the processes *translational elongation* and *translation*, whereas for the *deeppink* module we were unable to determine which biological processes the genes participate in, due to the small number of genes in the module. Nodes that are darker in yellow mean more genes involved in that particular process, and those in white mean less or no genes at all. *BiNGO* (*Biological Networks Gene Ontology*) tool running on the *Cytoscape* (Maere et al., 2005) platform was used for this type of analysis.

4.4 Biomarkers Detection and Identification

Using the modules built and described in Section 4.1, the next step is to find the hub nodes in these networks. Hub nodes are defined as nodes that have a high degree of intra-modular connectivity (Zhu et al., 2019). These genes often play an important role in cells. We consider a gene to be a hub if its significance is greater than 0.3 and module membership is greater than 0.6. *Gene Significance* - *GS* and *Module Membership* - *MM* are calculated by the following equations:

$$GS = |corr(x, t)|^\beta \quad (2)$$

$$MM = |corr(x, M)| \quad (3)$$

where x is gene expression, t is clinical trait and M is the eigengene of the module.

Considering the given conditions, the hub genes, or potential biomarkers, in the *deeppink* module are *DCAF8L2* and *GUCA2B*, while in *orangered1* module are *RPL21* and *RPS3A*. It is important to note that these hub genes are biased towards the dataset used because of the influence of clinical traits over the correlation calculation. Concerning potential biomarkers, using related studies investigating lung cancer-related genes, it has been confirmed that all genes involved in biomarkers are part of the lung cancer cells (Sun et al., 2004; Slizhikova et al., 2005; Yim et al., 2011; Montazeri et al., 2019). Additionally, the biomarker *GUCA2B* has been previously reported in a related research to be also relevant biomarker for colorectal cancer (Simjanoska et al., 2013).

Fig. 6 presents the expression of the corresponding detected biomarkers at healthy and cancer tissues obtained from anonymous participants $p1 - p9$. The expressions are completely comparable since they represent pairs of tissues, meaning from each participant $p1 - p9$ there is normal (healthy) and corresponding cancer tissue. Given the values on the graph, it can be seen that at most of the participants, the expressions of all the four biomarkers completely show separability between the normal and the cancer tissues. Even though, for some participants part of the biomarkers might show very close values, there is still at least one biomarker that distinguishes between the two health




Figure 6: Biomarkers expressions at healthy and cancer tissues.

conditions.

5 CONCLUSION

In this research, a methodology for analyzing genetic data by creating networks using the *WGCNA* package is presented. These networks are based on co-expression of genes, and as a result, modules that contain biologically functional information are obtained. Hereupon, gene regulatory networks have been built by which we discovered the physical interactions among genes. Even more, the biological dependence among the genes involved in the modules has been inspected, and an analysis of which biological processes the genes were involved in has been done, all in correspondence with their correlation with clinical data, that is the participant's age in this study. The last phase of this research was to find hub genes in the network created in the first phase, meaning, to identify hub genes in highly correlated modules with respect to some clinical traits. Those hub genes would represent potential biomarkers for the disease of interest in this paper. For some of the revealed biomarkers, the related research prove their connection to lung cancer.

Due to the limitations and complexity of the algorithms and methods used in this study, we have identified 4 potential genes that may represent potential

biomarkers. In the future, more reliable results can be obtained if more clinical data on the participant's health are available, meaning it can aid the process of central genes detection in the modules. Additionally, the research can be improved if the data is grouped by stage of progress of the cancer. By obtaining modules for each cancer progression stage, we would be able to reveal the potential biomarkers for each phase, which is a basis for deeper analysis and understanding of the lung cancer.

REFERENCES

- (2018a). Cancer. <https://www.who.int/news-room/factsheets/detail/cancer>. [Online; accessed 11-October-2019].
- (2018b). The top 10 causes of death. <https://www.who.int/news-room/factsheets/detail/the-top-10-causes-of-death>. [Online; accessed 06-October-2019].
- (2019). The cancer genome atlas. <https://www.cancer.gov/tcga>. [Online; accessed 20-October-2019].
- Adler, A. S. and Chang, H. Y. (2006). From description to causality: mechanisms of gene expression signatures in cancer. *Cell Cycle*, 5(11):1148–1151.
- Albert, R. et al. (2002). A.-l. baraba si. *Statistical mechanics of complex networks*, *Rev. Mod. Phys.*, 74(1):47–97.

- Bidkhorri, G., Narimani, Z., Ashtiani, S. H., Moeini, A., Nowzari-Dalini, A., and Masoudi-Nejad, A. (2013). Reconstruction of an integrated genome-scale co-expression network reveals key modules involved in lung adenocarcinoma. *PLoS one*, 8(7):e67552.
- Bullinger, L., Döhner, K., Bair, E., Fröhling, S., Schlenk, R. F., Tibshirani, R., Döhner, H., and Pollack, J. R. (2004). Use of gene-expression profiling to identify prognostic subclasses in adult acute myeloid leukemia. *New England Journal of Medicine*, 350(16):1605–1616.
- Canchi, S., Raaouf, B., Masliah, D., Rosenthal, S. B., Sasik, R., Fisch, K. M., De Jager, P. L., Bennett, D. A., and Rissman, R. A. (2019). Integrating gene and protein expression reveals perturbed functional networks in alzheimer's disease. *Cell reports*, 28(4):1103–1116.
- Consortium, G. O. (2004). The gene ontology (go) database and informatics resource. *Nucleic acids research*, 32(suppl.1):D258–D261.
- Edgar, R., Domrachev, M., and Lash, A. E. (2002). Gene expression omnibus: Ncbi gene expression and hybridization array data repository. *Nucleic acids research*, 30(1):207–210.
- Eisen, M. B., Spellman, P. T., Brown, P. O., and Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proceedings of the National Academy of Sciences*, 95(25):14863–14868.
- Franz, M., Rodriguez, H., Lopes, C., Zuberi, K., Montojo, J., Bader, G. D., and Morris, Q. (2018). Genemania update 2018. *Nucleic acids research*, 46(W1):W60–W64.
- Iba, H. and Noman, N. (2016). *Evolutionary computation in gene regulatory network research*. John Wiley & Sons.
- Langfelder, P. and Horvath, S. (2007). Eigengene networks for studying the relationships between co-expression modules. *BMC systems biology*, 1(1):54.
- Langfelder, P. and Horvath, S. (2008). Wgcna: an R package for weighted correlation network analysis. *BMC bioinformatics*, 9(1):559.
- Maere, S., Heymans, K., and Kuiper, M. (2005). Bingo: a cytoscape plugin to assess overrepresentation of gene ontology categories in biological networks. *Bioinformatics*, 21(16):3448–3449.
- Montazeri, H., Coto-Llerena, M., Bianco, G., Zangeneh, E., Taha-Mehlitz, S., Paradiso, V., Srivatsa, S., de Weck, A., Roma, G., Lanzafame, M., et al. (2019). Apsic: Analysis of perturbation screens for the identification of novel cancer genes. *bioRxiv*, page 807248.
- Panov (2014). *Basics of Molecular Biology and Genetics*. University "St. Cyril and Methodius", Skopje.
- Rueda, L. (2018). *Microarray image and data analysis: theory and practice*. CRC Press.
- Sanguinetti, G. and Huynh-Thu, V. (2018). *Gene Regulatory Networks: Methods and Protocols*. Methods in Molecular Biology. Springer New York.
- Segal, E., Wang, H., and Koller, D. (2003). Discovering molecular pathways from protein interaction and gene expression data. *Bioinformatics*, 19(suppl.1):i264–i272.
- Simjanoska, M., Bogdanova, A. M., and Panov, S. (2013). Gene ontology analysis of colorectal cancer biomarkers probed with affymetrix and illumina microarrays. In *IJCCI*, pages 396–406.
- Slizhikova, D., Vinogradova, T., and Sverdlov, E. (2005). The nola2 and rps3a genes as highly informative markers of human squamous cell carcinoma of lung. *Russian Journal of Bioorganic Chemistry*, 31(2):178–182.
- Sotiriou, C., Wirapati, P., Loi, S., Harris, A., Fox, S., Smeds, J., Nordgren, H., Farmer, P., Praz, V., Haibe-Kains, B., et al. (2006). Gene expression profiling in breast cancer: understanding the molecular basis of histologic grade to improve prognosis. *Journal of the National Cancer Institute*, 98(4):262–272.
- Sun, W., Zhang, K., Zhang, X., Lei, W., Xiao, T., Ma, J., Guo, S., Shao, S., Zhang, H., Liu, Y., et al. (2004). Identification of differentially expressed genes in human lung squamous cell carcinoma using suppression subtractive hybridization. *Cancer letters*, 212(1):83–93.
- The Gene Ontology Consortium (2018). The Gene Ontology Resource: 20 years and still GOing strong. *Nucleic Acids Research*, 47(D1):D330–D338.
- van Dam, S., Vosa, U., van der Graaf, A., Franke, L., and de Magalhaes, J. P. (2017). Gene co-expression analysis for functional classification and gene–disease predictions. *Briefings in bioinformatics*, 19(4):575–592.
- Weinberg, R. A. (2013). *The Biology of Cancer: Second International Student Edition*. WW Norton & Company.
- Yang, Y., Han, L., Yuan, Y., Li, J., Hei, N., and Liang, H. (2014). Gene co-expression network analysis reveals common system-level properties of prognostic genes across cancer types. *Nature communications*, 5:3231.
- Yim, W. C., Min, K., Jung, D., Lee, B.-M., and Kwon, Y. (2011). Cross experimental analysis of microarray gene expression data from volatile organic compounds treated targets. *Molecular & Cellular Toxicology*, 7(3):233.
- Yin, L., Cai, Z., Zhu, B., and Xu, C. (2018). Identification of key pathways and genes in the dynamic progression of hcc based on wgcna. *Genes*, 9(2):92.
- Yip, A. M. and Horvath, S. (2007). Gene network interconnectedness and the generalized topological overlap measure. *BMC bioinformatics*, 8(1):22.
- Zhang, B. and Horvath, S. (2005). A general framework for weighted gene co-expression network analysis. *Statistical applications in genetics and molecular biology*, 4(1).
- Zhang, J., Baran, J., Cros, A., Guberman, J. M., Haider, S., Hsu, J., Liang, Y., Rivkin, E., Wang, J., Whitty, B., et al. (2011). International cancer genome consortium data portal—a one-stop shop for cancer genomics data. *Database*, 2011.
- Zhu, Z., Jin, Z., Deng, Y., Wei, L., Yuan, X., Zhang, M., and Sun, D. (2019). Co-expression network analysis identifies four hub genes associated with prognosis in soft tissue sarcoma. *Frontiers in genetics*, 10:37.