

UDK 37

ISSN 2545 - 4439
ISSN 1857 - 923X

INTERNATIONAL JOURNAL

Institute of Knowledge Management

KNOWLEDGE



Scientific Papers

MEDICAL SCIENCES AND HEALTH

Vol. 57.4

KIJ

Vol. 57

No. 4

pp. 435 - 630

Skopje 2023

KNOWLEDGE



INTERNATIONAL JOURNAL

**SCIENTIFIC PAPERS
VOL. 57.4**

March, 2023

**INSTITUTE OF KNOWLEDGE MANAGEMENT
SKOPJE**



KNOWLEDGE

International Journal Scientific Papers Vol. 57.4

ADVISORY BOARD

Vlado Kambovski PhD, Robert Dimitrovski PhD, Siniša Zarić PhD, Maria Kavdanska PhD, Mirjana Borota – Popovska PhD, Veselin Videv PhD, Ivo Zupanovic, PhD, Savo Ashtalkoski PhD, Zivota Radosavljević PhD, Laste Spasovski PhD, Mersad Mujevic PhD, Milka Zdravkovska PhD, Drago Cvijanovic PhD, Predrag Trajković PhD, Lazar Stosic PhD, Krasimira Staneva PhD, Nebojsa Pavlović PhD, Daniela Todorova PhD, Baki Koleci PhD, Lisen Bashkurti PhD, Zoran Srzentić PhD, Itska Derijan PhD, Sinisa Opic PhD, Marija Kostic PhD

Print: GRAFOPROM – Bitola

Editor: IKM – Skopje

Editor in chief

Robert Dimitrovski, PhD

KNOWLEDGE - International Journal Scientific Papers Vol. 57.4

ISSN 1857-923X (for e-version)

ISSN 2545 – 4439 (for printed version)

INTERNATIONAL EDITORIAL BOARD

President: Academic Prof. Vlado Kambovski PhD, Skopje (N. Macedonia)

Vice presidents:

Prof. Robert Dimitrovski PhD, Institute of Knowledge Management, Skopje (N. Macedonia)

Prof. Sinisa Zaric, PhD, Faculty of Economics, University of Belgrade, Belgrade (Serbia)

Prof. Mersad Mujevic PhD, Public Procurement Administration of Montenegro (Montenegro)

Prof. Tihomir Domazet PhD, President of the Croatian Institute for Finance and Accounting, Zagreb (Croatia)

Members:

- Prof. Azra Adjajlic – Dedovic PhD, Faculty of criminology and security, Sarajevo (Bosnia & Herzegovina)
- Prof. Aleksandar Korablev PhD, Faculty of economy and management, Saint Petersburg State Forest Technical University, Saint Petersburg (Russian Federation)
- Prof. Anita Trajkovska PhD, Rochester University (USA)
- Prof. Aziz Pollozhani PhD, Rector, University Mother Teresa, Skopje (N.Macedonia)
- Prof. Anka Trajkovska-Petkoska PhD, UKLO, Faculty of technology and technical sciences, Bitola (N. Macedonia)
- Prof. Aneta Mijoska PhD, Faculty of Dentistry, University “St. Cyril and Methodius”, Skopje (N. Macedonia)
- Prof. Alisabri Sabani PhD, Faculty of criminology and security, Sarajevo (Bosnia & Herzegovina)
- Prof. Artan Nimani PhD, Rector, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Ahmad Zakeri PhD, University of Wolverhampton, (United Kingdom)
- Prof. Ana Dzumalieva PhD, South-West University “Neofit Rilski”, Blagoevgrad (Bulgaria)
- Prof. Ali Hajro, PhD, Military Academy “Mihailo Apostolski”, Skopje (N. Macedonia)
- Prof. Branko Sotirov PhD, University of Rousse, Rousse (Bulgaria)
- Prof. Branko Boshkovic, PhD, College of Sports and Health, Belgrade (Serbia)
- Prof. Branimir Kampl PhD, Institute SANO, Zagreb (Croatia)
- Prof. Baki Koleci PhD, University Hadzi Zeka, Peja (Kosovo)
- Prof. Branislav Simonovic PhD, Faculty of Law, Kragujevac (Serbia)
- Prof. Bistra Angelovska, Faculty of Medicine, University “Goce Delcev”, Shtip (N.Macedonia)
- Prof. Cezar Birzea, PhD, National School for Political and Administrative Studies, Bucharest (Romania)
- Prof. Cvetko Andreevski, Faculty of Tourism, UKLO, Bitola (N.Macedonia)
- Prof. Drago Cvijanovic, PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Dusan Ristic, PhD Emeritus, College of professional studies in Management and Business Communication, Novi Sad (Serbia)
- Prof. Darijo Jerkovic PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Prof. Daniela Todorova PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Dragan Kokovic PhD, University of Novi Sad, Novi Sad (Serbia)
- Prof. Dragan Marinkovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)
- Prof. Itska Mihaylova Derijan PhD, University Neofit Rilski, Faculty of pedagogy, Blagoevgrad (Bulgaria)

- Prof. Dzulijana Tomovska, PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Evgenia Penkova-Pantaleeva PhD, UNWE -Sofia (Bulgaria)
- Prof. Fadil Millaku, PhD, University “Hadzi Zeka”, Peja (Kosovo)
- Prof. Fatos Ukaj, University “Hasan Prishtina”, Prishtina (Kosovo)
- Prof. Georgi Georgiev PhD, National Military University “Vasil Levski”, Veliko Trnovo (Bulgaria)
- Prof. Halit Shabani, PhD, University “Hadzi Zeka”, Peja (Kosovo)
- Prof. Halima Sofradzija, PhD, University of Sarajevo, Sarajevo (Bosnia and Herzegovina)
- Prof. Haris Halilovic, Faculty of criminology and security, University of Sarajevo, Sarajevo (Bosnia and Herzegovina)
- Prof. Helmut Shramke PhD, former Head of the University of Vienna Reform Group (Austria)
- Prof. Hristina Georgieva Yancheva, PhD, Agricultural University, Plovdiv (Bulgaria)
- Prof. Hristo Beloev PhD, Bulgarian Academy of Science, Rector of the University of Rousse (Bulgaria)
- Prof. Hristina Milcheva, Medical college, Trakia University, Stara Zagora (Bulgaria)
- Prof. Izet Zeqiri, PhD, Academic, SEEU, Tetovo (N.Macedonia)
- Prof. Ivan Marchevski, PhD, D.A. Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Ibrahim Obhodjas PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Doc. Igor Stubelj, PhD, Faculty of Management, Primorska University, Koper (Slovenia)
- Prof. Ivo Zupanovic, PhD, Faculty of Business and Tourism, Budva (Montenegro)
- Prof. Ivan Blazhevski, PhD, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Isa Spahiu PhD, AAB University, Prishtina (Kosovo)
- Prof. Ivana Jelik PhD, University of Podgorica, Faculty of Law, Podgorica (Montenegro)
- Prof. Islam Hasani PhD, Kingston University (Bahrein)
- Prof. Jamila Jaganjac PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Prof. Jova Ateljevic PhD, Faculty of Economy, University of Banja Luka, (Bosnia & Herzegovina)
- Prof. Jonko Kunchev PhD, University „Cernorizec Hrabar“ - Varna (Bulgaria)
- Prof Karl Schopf, PhD, Akademie fur wissenschaftliche forchung und studium, Wien (Austria)
- Prof. Katerina Belichovska, PhD, Faculty of Agricultural Sciences, UKIM, Skopje (N. Macedonia)
- Prof. Krasimir Petkov, PhD, National Sports Academy “Vassil Levski”, Sofia (Bulgaria)
- Prof. Kamal Al-Nakib PhD, College of Business Administration Department, Kingdom University (Bahrain)
- Prof. Kiril Lisichkov, Faculty of Technology and Metallurgy, UKIM, Skopje (N.Macedonia)
- Prof. Krasimira Staneva PhD, University of Forestry, Sofia (Bulgaria)
- Prof. Lidija Tozi PhD, Faculty of Pharmacy, Ss. Cyril and Methodius University, Skopje (N.Macedonia)
- Prof. Laste Spasovski PhD, Vocational and educational centre, Skopje (N.Macedonia)
- Prof. Larisa Velic, PhD, Faculty of Law, University of Zenica, Zenica (Bosnia and Herzegovina)
- Prof. Łukasz Tomczyk PhD, Pedagogical University of Cracow (Poland)
- Prof. Lujza Grueva, PhD, Faculty of Medical Sciences, UKIM, Skopje (N.Macedonia)

- Prof. Lazar Stosic, PhD, Association for development of science, engineering and education, Vranje (Serbia)
- Prof. Lulzim Zeneli PhD, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Lisen Bashkurti PhD, Global Vice President of Sun Moon University (Albania)
- Prof. Lence Mircevaska PhD, High Medicine School, Bitola, (N.Macedonia)
- Prof. Ljupce Kocovski PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Marusya Lyubcheva PhD, University “Prof. Asen Zlatarov”, Member of the European Parliament, Burgas (Bulgaria)
- Prof. Marija Magdinceva – Shopova PhD, Faculty of tourism and business logistics, University “Goce Delchev”, Shtip (N. Macedonia)
- Prof. Maria Kavdanska PhD, Faculty of Pedagogy, South-West University Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Vaska Stancheva-Popkostadinova, PhD, Faculty of Public Health and Sport, SWU Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Mirjana Borota-Popovska, PhD, Centre for Management and Human Resource Development, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Mihail Garevski, PhD, Institute of Earthquake Engineering and Engineering Seismology, Skopje (N.Macedonia)
- Prof. Misho Hristovski PhD, Faculty of Veterinary Medicine, Ss. Cyril and Methodius University, Skopje (N.Macedonia)
- Prof. Mitko Kotovchevski, PhD, Faculty of Philosophy, UKIM, Skopje (N.Macedonia)
- Prof. Milan Radosavljevic PhD, Dean, Faculty of strategic and operational management, Union University, Belgrade (Serbia)
- Prof. Marija Topuzovska-Latkovikj, PhD, Centre for Management and Human Resource Development, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Marija Knezevic PhD, Academic, Banja Luka, (Bosnia and Herzegovina)
- Prof. Margarita Bogdanova PhD, D.A.Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Mahmut Chelik PhD, Faculty of Philology, University “Goce Delchev”, Shtip (N.Macedonia)
- Prof. Mihajlo Petrovski, PhD, Faculty of Medical Sciences, University “Goce Delchev”, Shtip (N.Macedonia)
- Prof. Marija Mandaric PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Marina Simin PhD, College of professional studies in Management and Business Communication, Sremski Karlovci (Serbia)
- Prof. Miladin Kalinic, College of professional studies in Management and Business Communication, Sremski Karlovci (Serbia)
- Prof. Marijan Tanushevski PhD, Macedonian Scientific Society, Bitola (N. Macedonia)
- Prof. Mitre Stojanovski PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Miodrag Smelcerovic PhD, High Technological and Artistic Vocational School, Leskovac (Serbia)
- Prof. Nadka Kostadinova, Faculty of Economics, Trakia University, Stara Zagora (Bulgaria)
- Prof. Natalija Kirejenko PhD, Faculty For economic and Business, Institute of Entrepreneurial Activity, Minsk (Belarus)
- Prof. Nenad Taneski PhD, Military Academy “Mihailo Apostolski”, Skopje (N.Macedonia)
- Prof. Nevenka Tatkovic PhD, Juraj Dobrila University of Pula, Pula (Croatia)
- Prof. Nedžad Korajlic PhD, Faculty of criminal justice and security, University of Sarajevo (Bosnia and Herzegovina)
- Prof. Nikola Sabev, PhD, Angel Kanchev University of Ruse, Ruse (Bulgaria)

- Prof. Nonka Mateva PhD, Medical University, Plovdiv (Bulgaria)
- Prof. Nikolay Georgiev PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Nishad M. Navaz PhD, Kingdom University (India)
- Prof. Nano Ruzhin PhD, Faculty of Law, AUE-FON University, Skopje (N.Macedonia)
- Prof. Oliver Dimitrijevic PhD, High medicine school for professional studies “Hipokrat”, Bujanovac (Serbia)
- Prof. Paul Sergius Koku, PhD, Florida State University, Florida (USA)
- Prof. Primoz Dolenc, PhD, Faculty of Management, Primorska University, Koper (Slovenia)
- Prof. Petar Kolev PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Pere Tumbas PhD, Faculty of Economics, University of Novi Sad, Subotica (Serbia)
- Prof. Rade Ratkovic PhD, Faculty of Business and Tourism, Budva (Montenegro)
- Prof. Rositsa Chobanova PhD, University of Telecommunications and Posts, Sofia (Bulgaria)
- Prof. Rossana Piccolo PhD, Università degli studi della Campania - Luigi Vanvitelli (Italy)
- Prof. Rumen Valcovski PhD, Imunolab Sofia (Bulgaria)
- Prof. Rumen Stefanov PhD, Faculty of public health, Medical University of Plovdiv (Bulgaria)
- Prof. Rumen Tomov PhD, University of Forestry, Sofia (Bulgaria)
- Prof. Sasho Korunoski PhD, UKLO, Bitola (N.Macedonia)
- Prof. Snezhana Lazarevic, PhD, College of Sports and Health, Belgrade (Serbia)
- Prof. Vasil Markov PhD, Faculty of Arts, SWU Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Stojna Ristevska PhD, High Medicine School, Bitola, (N. Macedonia)
- Prof. Suzana Pavlovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)
- Prof. Sandra Zivanovic, PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Shyqeri Kabashi, College “Biznesi”, Prishtina (Kosovo)
- Prof. Temelko Risteski PhD, Faculty of Law, AUE-FON University, Skopje (N. Macedonia)
- Prof. Todor Krystevich, D.A. Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Todorcka Atanasova, Faculty of Economics, Trakia University, Stara Zagora (Bulgaria)
- Prof. Tzako Pantaleev PhD, NBUniversity, Sofia (Bulgaria)
- Prof. Vojislav Babic PhD, Institute of Sociology, University of Belgrade (Serbia)
- Prof. Volodymyr Denysyuk, PhD, Dobrov Center for Scientific and Technological Potential and History studies at the National Academy of Sciences of Ukraine (Ukraine)
- Prof. Valentina Staneva PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Venus Del Rosario PhD, Arab Open University (Philippines)
- Prof. Vjollca Dibra PhD, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Yuri Doroshenko PhD, Dean, Faculty of Economics and Management, Belgorod (Russian Federation)
- Prof. Zlatko Pejkovski, PhD, Faculty of Agricultural Sciences, UKIM, Skopje (N.Macedonia)
- Prof. Zivota Radosavljevic PhD, Faculty FORCUP, Union University, Belgrade (Serbia)
- Prof. Zorka Jugovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)

REVIEW PROCEDURE AND REVIEW BOARD

Each paper is reviewed by the editor and, if it is judged suitable for this publication, it is then sent to two referees for double blind peer review.

The editorial review board is consisted of 67 members, full professors in the fields 1) Natural and mathematical sciences, 2) Technical and technological sciences, 3) Medical sciences and Health, 4) Biotechnical sciences, 5) Social sciences, and 6) Humanities from all the Balkan countries and the region.

CONTENTS

DISTINCTIVE MANIFESTATIONS OF PULMONARY SARCOIDOSIS ON HIGH RESOLUTION COMPUTED TOMOGRAPHY	451
Sonja Nikolova	451
QUALITY OF LIFE IN WOMEN WITH STRESS URINARY INCONTINENCE	457
Drage Dabeski	457
Sejlan Murtezani.....	457
CHARACTERISTIC OF ROMA ON HEMODIALYSIS TREATMENT IN NORTH MACEDONIA .	465
Stefan Arsov	465
Maja Sofronievska Glavinov	465
QUALITY OF LIFE IN PATIENTS WITH BREAST CANCER AND LYMPHEDEMA IN	
CANTON SARAJEVO, BOSNIA AND HERZEGOVINA	471
Amra Mačak Hadžiomerović.....	471
Arzija Pašalić.....	471
Amila Jaganjac	471
Samir Bojičić	471
Adela Erović Vranešić.....	471
Eldad Kaljić	471
Dženan Pleho.....	471
Amela Džidić.....	471
NEW BIOMARKERS FOR PROOF OF MYOCARDIAL ISCHEMIA- CURRENT ASPECTS	479
Denitsa Trancheva	479
INFLUENCE OF HEALTH CARE ON THE OUTCOME OF THE TREATMENT OF PATIENTS	
WITH THE DIABETIC FOOT	485
Hadžan Konjo	485
Amina Lučkin.....	485
Amer Ovčina.....	485
Zineta Mulaosmanović	485
DIAGNOSTIC SYSTEM FOR FUNCTIONAL STUDIES IN PATIENTS WITH OSTEOARTHRITIS	
OF THE KNEE JOINT	493
Petya Subeva.....	493
Mariya Gramatikova.....	493
OSTEOPOROSIS IN MEN - A DIAGNOSTIC CHALLENGE AND SCREENING STRATEGIES IN	
AT-RISK PATIENTS	499
Maria Nedkova	499
KINESITHERAPY AND NUTRITION IN PEOPLE WITH OBESITY	503
Maria Becheva.....	503
Rosica Toncheva.....	503
Mariya Bozhkova	503
Nina Belcheva.....	503
Tsveta Krasteva	503
EFFECTIVENESS OF SHOCK WAVE THERAPY VERSUS STANDARD PHYSICAL THERAPY	
MODALITIES IN PATIENTS WITH SHOULDER PAIN	507
Sanel Nuspahić	507
FACTORS FOR THE IMPLEMENTATION OF AN EFFECTIVE INTERACTIVE EDUCATIONAL	
PROCESS ACCORDING TO THE REHABILITATION THERAPIST STUDENTS OF STARA	
ZAGORA MEDICAL COLLEGE.....	511
Katya Mollova	511

DEVELOPMENT AND VALIDATION OF HPLC METHOD FOR CONTENT DETERMINATION OF MELOXICAM IN INJECTIONS	517
Dino Karpicarov	517
Paulina Apostolova.....	517
Marija Arev	517
Zorica Arsova-Sarafinovska.....	517
Biljana Gjorgjeska.....	517
IMPACT OF RADIOACTIVE IODINE THERAPY I-131 ON PATIENT HEALTH QUALITY	523
Hadžan Konjo.....	523
Arzija Pasalic.....	523
Amer Ovcina.....	523
Nihada Karasalihovic	523
Adnan Sehic.....	523
Fuad Julardžija.....	523
Jasmina Mahmutovic.....	523
Suada Brankovic.....	523
REGULATORY REQUIREMENTS AND RESPONSIBILITIES OF A QUALIFIED PERSON IN THE PHARMACEUTICAL INDUSTRY.....	529
Nikola Simonovski	529
Biljana Gjorgjeska.....	529
IN VITRO RELEASE OF KETOPROFEN UNDER THE INFLUENCE OF HPMC.....	533
Magdalena Hristova.....	533
Bistra Angelovska.....	533
QUALITY OF LIFE OF ELDERLY PERSONS	539
Ratko Zlatičanin	539
Amila Jaganjac	539
Bojan Kraljević.....	539
Vesna Samardzić	539
Adela Erović Vranešić.....	539
Sead Kojić	539
WHY SINGLE ADULTS END UP IN NURSING HOMES.....	547
Petya Krumova	547
EARLY ORTHODONTIC TREATMENT- MODERN CONCEPTS AND THERAPEUTIC ACHIEVEMENTS	551
Natasa Toseska-Spasova.....	551
Natasha Stavreva	551
Biljana Dzipunova.....	551
ASSESSMENT OF THE RELATIONSHIP OF DENTAL ANOMALIES WITH SKELETAL MALOCCLUSIONS AND GROWTH TYPE – REVIEW ARTICLE.....	555
Venera Kočinaj	555
Cvetanka Bajraktarova Misevska	555
Maja Naumova-Trencheska.....	555
Arif Arifi.....	555
PATHOLOGICAL CONDITION OF THE SALIVARY GLANDS - SIALOLITHIASIS	559
Sanja Nashkova	559
Ljubica Prosheva	559
INFLUENCE OF IRRIGATION SOLUTIONS ON POSTOPERATIVE PAIN IN ENDODONTIC.....	565
Lidija Popovska	565
Laurant Murtezai	565

CORNEAL DISTROPHY GROENOW-I	573
Strahil Gazepov	573
Dragana Velickovska.....	573
Alen Georgijev	573
LASER PHOTOCOAGULATION, APPLICATIONS AND ADVANCEMENTS IN OPHTHALMOLOGY	579
Gazmend Mehmeti	579
Ivana Petkovska.....	579
STRUCTURE OF MORBIDITY OF COVID 19 AMONG PEDIATRIC PATIENTS IN PEDIATRIC DEPARTMENT IN UNIVERSITY MULTIPROFILE HOSPITAL ACTIVE TREATMENT “ KANEFF” JSC, RUSE, BULGARIA	585
Eva Tsonkova	585
Nikola Sabev.....	585
VACCINATION, A CRITICAL STEP TO GUARANTEE A HEALTHIER AND SAFER SOCIETY	591
Ariana Striniqi	591
FACTORS DETERMINING THE SEVERITY OF THERMAL BURNS IN CHILDHOOD	597
Anushka Dimitrova.....	597
SKIN CHANGES IN HORMONAL IMBALANCE	603
Gergana Pavlova.....	603
Rayna Petrova.....	603
Penka Krushkova.....	603
Maria Becheva.....	603
ANALYSIS OF HEALTHCARE-ASSOCIATED INFECTIONS IN TREATMENT FACILITIES FOR HOSPITAL CARE IN RUSE REGION IN 2022	609
Preslava Zhekova.....	609
Nikola Sabev.....	609
PRACTICAL SKILLS OF STUDENTS FROM THE "HEALTH CARE" DIRECTION FOR PARTICIPATION IN LIFE-THREATENING SITUATIONS.....	615
Kamelya Bogdanova.....	615
Dimitrina Milikina.....	615
Iliana Sokolova.....	615
MEDICAL DEVICE APPLICATION NEEDS TREND	621
Darina Mineva	621
STANDARDS FOR HEARING HEALTH MONITORING OF AIRPORT GROUND HANDLING OPERATORS WORKING IN ENVIRONMENTS WITH EXCESSIVE NOISE LEVELS - CURRENT STATUS OF LEGISLATION IN THE USA AND THE REPUBLIC OF BULGARIA	625
Dorina Manahilova.....	625

DISTINCTIVE MANIFESTATIONS OF PULMONARY SARCOIDOSIS ON HIGH RESOLUTION COMPUTED TOMOGRAPHY

Sonja Nikolova

Institute of Radiology, Faculty of Medicine, University “Ss. Cyril and Methodius”, Skopje, North Macedonia, sonikmk@gmail.com

Abstract: Sarcoidosis is a multisystem granulomatous disorder with unknown etiology, poorly understood pathogenesis and variable prevalence. As already mentioned, it can affect any system or organ, but most frequently resides in the lungs, mediastinal and hilar lymph nodes, it is characterized by the presence of non- caseating granulomas, and its diagnosis typically requires histopathological proof. Sarcoidosis is a great mimicker of various thoracic disorders and its evolution and severity are highly variable, ranging from asymptomatic and self- limiting to highly debilitating with development of progressive thoracic disease and cardio- vascular complications, requiring long term therapy.

This study aims to establish a proper and efficient diagnostic approach, give an overview of the typical radiological manifestations of sarcoidosis on high resolution computed tomography (HRCT) and reduce the differential uncertainty.

We thoroughly analyzed 20 HRCT scans of patients diagnosed with sarcoidosis, with mean age of 38.8 ± 6.91 (25 to 51 years old) of both genders. All 20 patients underwent HRCT according to appropriate diagnostic protocol on a 128- slice computed tomography (Siemens Healthineers, USA).

The most frequent findings were bilateral and symmetrical hilar and right para- tracheal lymphadenopathy, often accompanied by parenchymal abnormalities such as multiple small nodules in a peribronchovascular distribution and irregular interstitial thickening. We also encountered some atypical thoracic findings such as asymmetrical lymph node involvement, large alveolar opacities, ground glass opacities and pleural involvement.

High Resolution Computed Tomography is an important diagnostic tool in the accurate evaluation and depiction of many typical and atypical lung parenchymal and extra- parenchymal findings in sarcoidosis, offers the possibility to establish reasonable differential diagnosis, and at the same time, estimates the severity of the parenchymal involvement and predicts future complications.

Keywords: sarcoidosis; non- caseating granulomas; High Resolution Computed Tomography (HRCT); hilar lymphadenopathy; peribronchovascular distribution.

1. INTRODUCTION

Sarcoidosis is a multisystem disease with comprehensive clinical and radiographic manifestations, unrevealed origin and defined by the presence of non- caseating granulomatous inflammation and proliferation of epithelioid cells (*Colby, 1998*). Although the disease pathogenesis remains poorly understood, it is believed that it is a result of complex interaction between individual and environmental factors leading to divergence of the immune response (*Grunewald, 2015*). To reach a definite diagnosis, a histopathological proof for presence of non- caseating granulomatous inflammation in one or more organs in addition to compatible clinical and radiological attributes and elimination of other causes of granulomatous inflammation is needed; however, in the company of typical findings such as Löfgren’s syndrome, Heerfordt’s syndrome, lupus pernio and asymptomatic bilateral and symmetrical hilar lymphadenopathy, an accurate diagnosis can be accomplished solely on clinical grounds (*Bernardinello, 2021*).

Sarcoidosis transpires worldwide, in all age groups and races. Relating precise epidemiology is complicated due to inconsistent diagnostic criteria and variable, at times, asymptomatic disease manifestations (*Hägerstrand, 1964*). The disease, although seen in children and elderly, commonly manifests between 20- 40 years of age (*Miller, 1995; Arkema, 2018*). There is inconsistent data on gender predominance, although a small female predominance among African-Americans has been reported (*Cozier, 2016*). The highest incidence is being reported in African-Americans (36 to 50 per 100,000) and northern European Caucasians (11 to 20 per 100,000), whereas it is lower in Asian populations (*Ganeshan, 2018*). Familial clustering of sarcoidosis has been described, that suggests genetic or environmental component (*Rossides, 2018*).

The disease is mainly benign and resolves spontaneously, so in approximately 50% of the patients there is no need of treatment, whereas one-third of the patients develop chronic or progressive disease and about 5% will eventually die, due to pulmonary or cardiovascular complications (*Gerke, 2017; Baughman, 2018*).

Sarcoidosis has many different clinical manifestations, but almost all patients exhibit respiratory tract engagement with endobronchial and parenchymal abnormalities, thus the most common symptoms are dyspnea, dry cough and chest discomfort (*Baughman, 2001*). The usual targeted sites in almost 10- 30% of patients are skin, eyes, liver,

spleen and peripheral lymph nodes (*Polverino, 2020*), whereas more uncommon and with potentially fatal outcome are the cardiac and neurological diseases (*Trivieri, 2020*). Non- organ specific conditions such as small fiber neuropathy can be found in as many as 86% and fatigue in more than 90% of patients (*Voortman, 2019*).

2. IMAGING FINDINGS

Chest imaging is a key factor in the diagnosis of sarcoidosis, and all patients suspected for sarcoidosis should undergo chest X-ray, which tends to be abnormal in up to 90% of cases, and will typically exhibit bilateral, symmetrical hilar lymphadenopathy with/ without parenchymal abnormalities (*Figure 1*). Chest x-ray is less sensitive for depicting thoracic manifestations in sarcoidosis. Despite constraints, the Scadding criteria have been used for decades in the staging of sarcoidosis (*Scadding, 1961*). Stage I, according to Scadding is defined by the presence of bilateral hilar lymphadenopathy and no parenchymal involvement, whereas stage IV consists of upper-lobe predominant fibrotic changes with lung volume loss.

Patterns of lymphadenopathy include the 1-2-3 sign or Garland triad which is a symmetrical hilar nodal involvement, as well as right paratracheal involvement, and it has high sensitivity on chest x-ray (*Figure 1*).


In other instances, nodes tend to be very large and not abutting the cardiac silhouette, opposed to lymphoma, where nodes are usually continuous with the pericardial outline. After certain amount of time, up to 20% of intrathoracic nodes calcify with variable calcifications: punctate, amorphous or eggshell (*Figure 2*).

On the other hand, chest x- ray patterns of pulmonary disease include bilateral and symmetrical reticulo- nodular or nodular opacities, encountered in 75- 90% of patients staged II and III , with middle and upper zone distribution, sometimes resembling miliary opacities. Atypical findings that can be evaluated are alveolar/ airspace opacities or nodules and masses (sarcoid galaxy sign) which are more common in older patients and created by coalescence of multiple ill-defined nodules.

Figure 1. Symmetrical bilateral hilar and right para- tracheal lymphadenopathy in sarcoidosis patient referred to as 1-2-3 sign or Garland triad.



Figure 2. Shell-like, peripheral calcifications up to 2 mm thick, present in the peripheral zone of at least two lymph nodes- eggshell calcification.



A very uncommon manifestation is peripheral cavitation or pulmonary fibrosis that can be seen in 20- 25% of patients suffering end stage disease. The pulmonary fibrosis has a predilection for upper and middle lung zones and is usually presented by permanent coarse linear opacities radiating laterally from the hilum upward and outward and causing hilar elevation and traction bronchiectasis.

High resolution CT (HRCT) is more sensitive than chest X-ray and provides a precise assessment of the hilar, mediastinal and parenchymal abnormalities. The most typical HRCT feature in sarcoidosis is the presence of well-delineated micronodules distributed in a perilymphatic mode, along the broncho-vascular bundle, veins, fissures and pleura, with mid to upper lung zone predominance. A highly suggestive HRCT feature of pulmonary sarcoidosis is the coalescing of micronodules in larger conglomerates, thus resembling a mass, and distorting the lung parenchyma. When these conglomerates are being surrounded by micronodules, they resemble a “galaxy sign” (Figures 3, 4, 5).

Additionally, HRCT can also demonstrate ground glass opacities, septal and non- septal lines and in up to 20% of patients who develop pulmonary fibrosis, it can manifest as architectural distortion, traction bronchiectasis, honeycombing and linear scarring. The complications of the fibrotic type pulmonary sarcoidosis include pulmonary hypertension, mycetoma, and hemoptysis that are rare but potentially life threatening manifestation.

Figure 3. Typical bilateral hilar and right para- tracheal lymphadenopathy in the sarcoidosis patient from Figure 1, demonstrated on axial and coronal CT views.




Figure 4. Mosaic attenuation due to granulomatous bronchiolitis, perilymphatic irregular nodular thickening in an upper/ mid lung distribution and many nodules measuring up to 1cm, some of which contain air bronchograms.





Figure 5. Perilymphatic irregular nodular thickening involving the central, as well as the peripheral interstitium, many nodules measuring up to 2cm, some of which show air bronchograms and confluence in more irregular masses, and initial pulmonary fibrosis with traction bronchiectasis mainly in the middle right lobe.



The 20 patients from our study group, underwent HRCT according to appropriate diagnostic protocol on a 128- slice computed tomography (Siemens Healthineers, USA) and a detailed assessment. Our study group presented with the mean age of 38.8 ± 6.91 (25 to 51 years old) and included both genders. 55% of our patients were male, and 45% female. The most frequent findings we encountered were bilateral and symmetrical hilar and right para- tracheal lymphadenopathy (in 70% of patients), often accompanied by parenchymal abnormalities such as multiple small nodules in a peribronchovascular distribution (45%) and irregular interstitial thickening (20%). We also encountered some atypical thoracic findings such as asymmetrical lymph node involvement (15%), large alveolar opacities (25%), ground glass opacities (30%) and pleural involvement (10%). There were two cases (10%) with the “galaxy sign” which was very suggestive of sarcoidosis. In only 7 patients (35%) there was either incipient or pronounced fibrosis with typical architectural distortion, traction bronchiectasis and linear scarring in mid and upper lung zones. Two of the patients with pronounced fibrosis due to end stage sarcoidosis had indirect CT signs of pulmonary arterial hypertension.

3. CONCLUSION

High Resolution Computed Tomography is an important diagnostic tool in the accurate evaluation and depiction of many typical and atypical lung parenchymal and extra- parenchymal findings in sarcoidosis, it offers the possibility to establish reasonable differential diagnosis, and at the same time, estimates the severity of the parenchymal involvement and predicts future complications.

REFERENCES

- Arkema, E.V., & Cozier, Y.C. (2018). Epidemiology of Sarcoidosis: Current findings and future directions. *Ther. Adv. Chronic Dis.* 9, 227–240.
- Baughman, R. P., Barriuso, R., Beyer, K., Boyd, J., Hochreiter, J., Knoet, C., Martone, F., Quadder, B., Richardson, J., Spitzer, G., et al. (2018). Sarcoidosis: Patient treatment priorities. *ERJ Open Res*; 4, 00141-2018.
- Baughman, R. P., Teirstein, A. S., Judson, M., Rossman, M. D., Yeager, H., Bresnitz, E. A., DePalo, L., Hunninghake, G. W., Iannuzzi, M. C., Johns, C. J. et al. (2001). Clinical characteristics of patients in a case control study of Sarcoidosis. *Am. J. Respir. Crit. Care Med.* 164, 1885–1889.
- Bernardinello, N., Petrarulo, S., Balestro, E., Coconcelli, E., Veltkamp, M., & Spagnolo, P. (2021). Pulmonary Sarcoidosis: Diagnosis and Differential Diagnosis. *Diagnostics*, 11, 1558.
- Colby, T. V., & Carrington, C.B. (Nov/Dec,1998). Infiltrative lung disease. In: Park et al. 630 *Korean J Radiol* 10(6).
- Cozier, Y. C. (2016). Assessing the worldwide epidemiology of sarcoidosis: challenges and future directions. *The European respiratory journal.* 48 (6): 1545-1548.
- Ganeshan, D., Menias, C. O., Lubner, M. G. et-al. (2018). Sarcoidosis from Head to Toe: What the Radiologist Needs to Know. *Radiographics : a review publication of the Radiological Society of North America, Inc.* 38 (4): 1180-1200.
- Gerke, A. K., Judson, M. A., Cozier, Y. C., Culver, D. A., Koth, L. L. (2017). Disease burden and variability in Sarcoidosis. *Ann. Am. Thorac. Soc* ;14, S421–S428

- Grunewald, J., Spagnolo, P., Wahlström, J., & Eklund, A. (2015). Immunogenetics of disease-causing inflammation in Sarcoidosis. *Clin. Rev. Allergy Immunol*; 49, 19–35.
- Hägerstrand, I., & Linell, F. (1964). The prevalence of sarcoidosis in the autopsy material from a Swedish town. *Acta medica Scandinavica. Supplementum*. 425: 171-4.
- Miller, B. H., Rosado-de-christenson, M. L., Mcadams, H. P. et-al. (1995). Thoracic sarcoidosis: radiologic-pathologic correlation. *Radiographics*.15 (2): 421-37.
- Polverino, F., Balestro, E., & Spagnolo, P. (2020). Clinical presentations, pathogenesis, and therapy of Sarcoidosis: State of the art. *J. Clin. Med*. 9, 2363.
- Rossides, M., Grunewald, J., Eklund, A. et-al. (2018). Familial Aggregation and Heritability of Sarcoidosis: A Swedish Nested Case-Control Study. *The European respiratory journal*.
- Scadding, J. G. (1961). Prognosis of intrathoracic Sarcoidosis in England. A review of 136 cases after five years' observation. *Br. Med. J*. 2, 1165–1172.
- Trivieri, M. G., Spagnolo, P., Birnie, D., Liu, P., Drake, W., Kovacic, J. C., Baughman, R., Fayad, Z. A., & Judson, M. A. (2020). Challenges in Cardiac and Pulmonary Sarcoidosis. *J. Am. Coll. Cardiol*. 76, 1878–1901.
- Voortman, M., Hendriks, C. M. R., Elfferich, M. D. P., Bonella, F., Møller, J., De Vries, J., Costabel, U., & Drent, M. (2019). The Burden of Sarcoidosis symptoms from a patient perspective. *Lung*, 197, 155–161.

QUALITY OF LIFE IN WOMEN WITH STRESS URINARY INCONTINENCE

Drage Dabeski

University Clinic for Gynecology and Obstetrics in Skopje, Republic of North Macedonia,
drdabeski@yahoo.com; dr.dabeski@gmail.com

Sejlan Murtezani

University Clinic for Gynecology and Obstetrics in Skopje, Republic of North Macedonia,
sejlan.murtezani@gmail.com

Abstract: The aims of the study were to make a comparison between the quality of life in women with stress urinary incontinence before and 6 months after operative treatment, that is, before and after plicated colposuspension and to prove that women after colposuspension have a better quality of life. The study is a prospective, cross-sectional study. Material is represented by 66 women, diagnosed with stress urinary incontinence of moderate and severe degree, aged 35 to 75 years. The study did not include: women with overactive bladders or mixed urinary incontinence; women with fistulas of the urinary tract; women with congenital or acquired defects of the urethra or bladder; women with urinary tract infections and women taking medications that contribute to an overactive bladder. The study was conducted from January 2020 to January 2023 at the University Clinic for Gynecology and Obstetrics in Skopje, Department of Urogynecology. In all women, we performed: urinary status with urine sediment and urine culture; ultrasound examination; Marshall's tests; urodynamics; plicated colposuspension; a survey questionnaire containing questions about women's demographic characteristics, social status, economic status, gynecological and reproductive history, life habits and the Incontinence Quality of Life (I-QOL) questionnaire, assessing two time periods: before surgery and six months after surgery. Our study showed an improvement in the quality of life in women with stress urinary incontinence after operative treatment, i.e. after plicated colposuspension. The improvement is shown by analyzing the answers in the three domains of the quality of life questionnaire [Avoidance and limitation of behaviors ($p=0.018$); Psychosocial influences ($p=0.001$); Social shame ($p=0.012$)].

Keywords: urinary stress incontinence, colposuspension, quality of life

КВАЛИТЕТ НА ЖИВОТ КАЈ ЖЕНИ СО СТРЕС УРИНАРНА ИНКОНТИНЕНЦИЈА

Драге Дабески

Универзитетска клиника за гинекологија и акушерство во Скопје, Република Северна Македонија,
drdabeski@yahoo.com; dr.dabeski@gmail.com

Сејлан Муртезани

Универзитетска клиника за гинекологија и акушерство во Скопје, Република Северна Македонија,
sejlan.murtezani@gmail.com

Апстракт: Целите на студијата беа да направиме споредба помеѓу квалитетот на живот кај жените со стрес уринарна инконтиненција пред и 6 месеци по оперативен третман, односно пред и после пликатурирана колпосуспензија и да докажеме дека жените после колпосуспензија имаат подобар квалитет на живот. Студијата е проспективна, студија на пресек. Материјал претставуваат 66 жени, со дијагностицирана стрес уринарна инконтиненција од средно тежок и тежок степен, на возраст од 35 до 75 години. Во студијата не беа вклучени: жени со хиперактивни мочни меури или мешана уринарна инконтиненција; жени со фистули на уринарниот тракт; жени со вродени или стекнати дефекти на уретрата или на мочниот меур; жени со инфекции на уринарниот тракт и жени кои земаат лекови кои придонесуваат за хиперактивен мочен меур. Студијата беше работена во периодот од јануари 2020 година до јануари 2023 година на универзитетската клиника за гинекологија и акушерство во Скопје на одделот за урогинекологија. Кај сите жени направивме: уринарен статус со седимент на урина и уринокултура; ултразвучен преглед; Маршал-ови тестови; уродинамика; пликатурирана колпосуспензија; анкетен прашалник кој содржи прашања за демографските карактеристики на жените, социјалниот статус, економскиот статус, гинеколошката и репродуктивна историја, животните навики и прашалник за квалитетот на живот за инконтиненција-The Incontinence Quality of Life (I-QOL), оценувајќи два временски периода: пред операција и шест месеци по операција. Нашата студија покажа подобрување на квалитетот на живот кај жените со стрес уринарна инконтиненција по оперативен третман, односно по пликатурирана колпосуспензија. Подобрувањето е покажано со анализа на